Dynamic Online SSME Schematics



Ra'Sean Hoheb

NASA M.U.S.T. Intern Univ. of Central FL/ KSC NE-A1 NASA SSME Avionics Engineering 8/3/07

Project creator/ programmer/ mentor: Chris Moffatt NE-A1 NASA SSME Avionics Engineering



SOFTWARE

- Microsoft Visio 2003
- Microsoft Visual Studio 2005
- Adobe Photoshop CS2

LANGUAGES

- •C#
- •HTML
- •XML
- •VML
- ·SQL
- JavaScript

SSME Systems Schematic





Fig.1

SSME Avionics Schematic



Objectives

- Make the schematics available and accessible online
- Make them dynamic and interactive with handy, useful, and advantageous features

USES/ADVANTAGES

- Used by technicians, engineers, and many others in the engine shops, firing room, meetings, conferences, launch support, etc.
- Conveniently accessible anywhere
- Ideal training tool, as well as for increasing familiarity, visibility, knowledge and understanding of SSME Systems and Avionics
- •Can be used as a model for other systems as well as for future launch vehicles like Constellation

Setup and Access

- Internet Explorer (IE) is necessary to view the online schematics.
- One setting must be changed in IE to enable the schematics to be viewed. That is binary and script behaviors option must be enabled.
 - Open IE and click Tools/Internets Options
 - Click the Security tab, then Local Intranet




Fig. 3

- Click the Sites button, which opens the Local intranet window
- Click the Advanced button




Fig. 4


 This opens the other Local intranet window shown on the next slide.

Local intranet	?	×
You can add and remove Web sites from this zone. All Web sites in this zone will use the zone's security settings.		
Add this Web site to the zone:		
I I	<u>A</u> dd	
Web sites:		
	Remove	
☐ Require server verification (https:	:) for all sites in this zone	
	OK Cancel	

Fig. 5

- Add http://www-launchops.ksc.nasa.gov/ to the "Add this Web site to the zone" field.
- Click OK, then OK again on the first Local Intranet window.

Click the Custom Level button on the Internet Options window.
This will open the Security Settings window.



- Enable Binary and script behaviors under ActiveX controls and plug-ins.
- · Click OK.
- Close IE and reopen. The browser should now be able to view the Dynamic Online SSME Schematics.

- To access the schematics go to the NASA SSME Avionics home page located at http://launchops.ksc.nasa.gov/gdsinfo/group-ssmec/index.htm
- The links are in the blue left hand pane, as indicated on the next slide SSME Avionics Schematic and SSME Systems Schematic.





Fig. 7

Features

- Left-hand pane shows different functions of schematic and can be opened and closed as needed
 - Pan and zoom



- Schematic Mode
 - Shows the different configurations the schematic can be viewed in
 - Flight, External Leak Check, Purge Sequences 1-4, also w/ or w/o the PCA (Pneumatic Control Assembly) internals





Fig. 9 "In flight mode"


View Legend

 Shows the how the different ducts and lines are used by color coding and listing what is inside(LO2,He,etc.) depending on what mode the schematic is in



Details

 If the mouse is hovered over a component, a brief description is displayed as shown below.



 If the component is clicked on, the details and information are displayed in the left hand pane.

Including the LRU Code, connector numbers, MSIDs, etc. shown below




Fig. 12 "Details"

- Much of the details are hyperlinks.
- LRU Code Hyperlinks
 - Clicking opens a new window showing Rocketdyne's RCS Serialization System "Search-Installed Parts" screen.





Fig. 13 "Currently installed parts for LRU code installed on all engines at KSC"

- Connectors Hyperlinks
 - Clicking opens the SSME Avionics Schematic, which will automatically find the connector that was clicked and zoom in on it as shown below.; similar details as Systems Schematic



Joints Hyperlinks

 Clicking a joint hyperlink opens up Rocketdyne's Joint Data List (JDL) to the selected joint.




Fig. 15 "Joint assembly"

Search

Any component or part of the schematic can be searched and found also.
The information can also be filtered by LRU Code, LRU Name, Part Number,
Joint Number, Joint Name, Connectors, and/or MSID.




Fig. 16 "Search page feature"

Current Stage and Future Features

Photos

- Photos of the entire engine and all its components are currently being incorporated into the schematics to provide real-life pictures as an added feature when hyperlinks for those elements are clicked on. (Overviews, Wide angles, and Close-ups)
- For example: clicking the wide angle (afar) hyperlink for photos of Joint F9 reveals the photo on the next slide.




Fig. 17 Wide angle view of Joint F9

Current Stage and Future Features cont'd.

- MSID (Measurement Stimulation I.D.) hyperlink currently inactive
 - In future will open a WinPlot session or get data from SDC (Shuttle Data Center) after valid a TCID (Test Configuration Identifier Document) and start/stop times are provided by user
- LCC info and data plots of typical chill and main stage operation for all sensors will also be added in the future.
- Endless possibilities
 - For future systems and vehicles
 - Training
 - Launch Support, etc.

References

Moffatt, Chris. Dynamic Online SSME
Schematics User Guide. Pg 1-13. 2007

NE-A1 NASA SSME Avionics Engineering